

FIG. 1 (Background Art)




FIG. 2(a)

20




FIG. 2(b)




FIG. 2(c)




FIG. 3

	First Row				Second Row				
	SYNC	BIS1	BIS2	BIS3	SYNC	BIS1	BIS2	BIS3	
Address	0	1	2	3	4	5	6	7	
Data	S0	0	0	0	S1	0	0	0	


FIG. 4

	First Row				Second Row				
	SYNC	BIS1	BIS2	BIS3	SYNC	BIS1	BIS2	BIS3	
Address	0	1	2	3	4	5	6	7	
Data	0	1	0	1	1	0	1	0	

FIG. 5(a)


Byte k+1 Byte k+2 Byte k+3 Byte k Data Data Data Bit Data Bit Bit Bit O SYNC BIS1 |Row n|Row n+1|Row n+2|Row n+3|Row n+4|Row n+5|Row n+6|Row n+7 Row n | Row n+1 | Row n+2 | Row n+3 | Row n+4 | Row n+5 | Row n+6 | Row n+7 |Row n|Row n+1 |Row n+2 |Row n+3 |Row n+4 |Row n+5 |Row n+6 |Row n+7 BIS2 Row n|Row n+1 |Row n+2 |Row n+3 |Row n+4 |Row n+5 |Row n+6 |Row n+7 BIS3 0 0 0 SYNC BIS3 BIS1 BIS2 SYNC BIS1 BIS2 BIS3 N 0 2 2 SYNC BIS2 BIS1 BIS3 ယ ယ ယ ယ SYNC BIS2 BIS1 BIS3 4 4 4 4 BIS2 BIS1 SYNC BIS3 5 တ 5 တ SYNC BIS1 BIS3 BIS2 6 6 6 တ SYNC BIS1 BIS3 BIS2

FIG. 5(b)



			19	19 codewords				
			:			:		
1	d _{o,A}	d _{216,A}	;	d _{1944,A}	d _{108,B}	:	d _{1836,B}	
-	d _{1,A}	d _{217,A}	:	d _{1945,A}	d _{109,B}	:	d _{1837,B}	
	d _{2,A}	:	:		:	:	:	
	d _{3,Å}	:	:	:	:	:	:	
	•	ł	:	+	ļ	:	ł	
	:	:	:	d _{2047,A}	:	:	:	
016	:	:	:	е _{2048,}		:	:	
216 rows	:	:	:	:	:	:	•	
with data	:	:	:	е _{2051,}	:	:		
	:	:	:	d _{0,B}	:	:	:	
	:	:	:	d _{1,B}	:	:	:	
	+	Į.	:	1	ł	:	+	
	:	:	:	:	:	:	d _{2047,B}	
	:	:	:	:	:	:	e _{2048,B}	
	:	:	:	d _{106,B}	:		:	
	d _{215,A}	d _{431,}	:	d _{107,B}	d _{323,B}	:	e _{2051,B}	

FIG. 5(d)



1 BIS codeword = 62 bytes 30 information codeword codeword 0 1 24 columns codeword C codeword codeword 22 23 ზ<u>უ</u> უ

FIG. 6(b)

6 rows
with
Physical
Addresses 24 rows with User Control Data AF7,2 AF1,6 AF2,6 24 columns UCo,se UC11,30 | UC17,31 | + UC17,30 UC0,31 30 30 s

FIG. 6(c)




FIG. 6(d)

